

BISON BRICK

GLAZES + SIZES

MATERIAL

BESPOKE STONE + TILE

M



EXPLORE BISON BRICK

Bison Brick is a traditionally made wire-cut thin brick, made-to order with our own clay in our own factory. Using vintage methods, our craftspeople make brick that possesses a uniqueness and warmth that is only achieved by hand. Each brick carries the mark of its handmade character by being perfectly imperfect.

Bison Brick has a functional simplicity where color and texture combine to make a versatile and timeless surface. The wire-cut texture makes every brick unique and provides a perfect canvas for our studio glazes. From classic whites to vibrant reds and blues, our glazes interact with the Bison texture to make interesting and charming surfaces.

At home in any setting, Bison Brick is the perfect compliment for rustic cabins to industrial lofts, to showplace kitchens. Visit your local showroom for samples and ideas to help you with your next project.

LEAD TIME

Our brick is made to order in small batches and currently has a lead time of 8 to 10 weeks (FOB San Antonio, Texas). If your project is large, complicated, or has custom parts and glazes it will take longer, and we will estimate lead-time upon ordering. We also have limited materials available in stock for simple smaller projects that need tighter delivery.

USAGE

Bison Brick is suitable for commercial and residential interior uses and can be used in wet areas, including showers, steam showers, and kitchen backsplashes. It is also suitable for select exterior projects in temperate climates.

INSTALLATION

Bison Brick is installed as you would install any tile and does not require special materials or tools. We recommend setting Bison Brick with a 3/16 to 1/4 inch joint with sanded grout. Consult the current TCNA Tile Installation handbook for the proper installation method for your application.



Image shown in Gloss White

MAINTENANCE + CARE

Bison Brick may be cleaned with any non-abrasive household hard surface cleaning products. Acidic or caustic cleaners are not recommended.

SUSTAINABILITY

Bison Brick is made from 40% post-industrial recycled content: 40% of the clay body used to make the product is ground scrap roofing tile and brick recovered from a solid waste facility in Apple Valley, California.

Bison Brick may qualify for the following LEED points:

- MR 4.1/4.2: Recycled Content (1–2 points)**
- EQ 4.2: Low-Emitting Materials (1 point)**




CERAMIC

GLAZES


Bison Brick is available in a wide variety of studio glaze colors.

Due to limitations of the printing process, the colors you see here may not be a totally accurate description of the actual product. Images are intended as a guide only, and should not be used to order. No single brick can properly represent the entire character of a glaze. It is important to have a sample composed of several bricks when making final glaze selections.


Variation is intrinsic to the beauty and warmth of handmade ceramic tile. Differences in size, shape, and glaze color from tile to tile, and even within a single tile are intentional and should be expected. Each glaze image has a label to communicate the amount of variation one can expect. The reference diagrams on the following page show the variation ranges possible with Glazed Brick.




V0




V1



V2



V3







V4








OUR GLAZES










OUR GLAZES









OUR GLAZES





OUR GLAZES





CERAMIC

SIZES


Form follows vision with Bison Brick. Our collection spans traditional rectangles to intricate geometrics, each size crafted to work in harmony with the others. Whether you're creating subtle texture through classic shapes or bold statements with Moroccan patterns, every format maintains the wire-cut character and artisan quality that defines the collection.






TILE


Flat bricks are 1/2" thick.
Bricks are sized to be
installed with a 3/16" grout joint.




1 1/16" X 8 5/16"




2" X 2 3/8"




2 3/8" X 4 3/32"




2 3/8" X 8 5/16"




2 3/8" X 12 5/8"




3 3/8" X 6 5/16"




4" X 4"




4" X 8"




4" X 12"




6" X 6"




8" X 8"



PICKET
2 3/8" X 8 5/16"



HEXAGON
3" X 3"



HEXAGON
6" X 6"



MOROCCAN
3" X 3"




MOROCCAN
6" X 6"




CLOVER + STAR
3" X 3"



LINER




PENCIL
1 1/16" X 8 5/16"




BAR
1 1/16" X 8 5/16"


TRIM



CHAIR RAIL
2 1/2" X 8 5/16"




BOX CAP
2 3/8" X 8 5/16"




ANGLE
1 1/8" X 1 1/8" X 8 5/16"

OUT
CORNER




CORNER
2 3/8" X 8 5/16" X 4 3/32"




RADIUS CORNER
2 3/8" X 8 5/16" X 4 3/32"

BASE



TRADITIONAL BASE
6" X 8 5/16"



COVE BASE
5 3/4" X 8 5/16"

Notes: Minimum order quantity is 100 sq ft.

Glazed ends, stop and returns, bullnose, glazed edges and other treatments are available for quoting upon request.